

Formulation	SHIMMER DROPS
Reference Number	COR 162-0221

PHASE	INGREDIENTS	INCI NAME	%	SUPPLIER
А	VELSAN CCT	Caprylic/Capric Triglyceride	Up to 100%	-
	REFINED PASSION FRUIT OIL	Passiflora edulis seed oil	25.00	BERACA
	COSMETIC GRADE ANNATTO OIL	Bixa orellana seed oil, Helianthus annuus (sunflower) seed oil, Glycine soja (soybean) oil, Tocopherol	15.00	BERACA
	REFINED TUCUMÃ BUTTER	Astrocaryum vulgare kernel oil	5.00	BERACA
	PLANTASENS OLIVE SQUALANE	Squalane	2.00	-
	GELATINIZATION AGENT GP-1	Dibutyl Lauroyl Glutamide	1.00	AJINOMOTO
	TOCOPHERYL ACETATE	Tocopheryl Acetate	1.50	•
В	MICA GOLD	Mica	1.50	
	FRAGRANCE	Fragrance	0.50	-
	Manufacturing procedure			

- 1. Mix phase (A) and heat up to 90°C.
- 2. Homogenize phase (A) until obtained a clear solution.
- 3. Add phase (B) when the temperature was around 80°C while stirring.
- 4. Fill the mold while the buck is still in the liquid form (around 60°C 70°C).



Formulation	RENEWING CLEANSING OIL
Reference Number	FAC 115-0121_01

PHASE	INGREDIENTS	INCI NAME	%	SUPPLIER
А	VELSAN CCT	Caprylic / Capric Triglyceride	Up to 100%	-
	JOLEE 7750	Isoamyl laurate	5.00	-
	REFINED PASSION FRUIT OIL	Passiflora edulis seed oil	20.00	BERACA
	BERACARE CBA	Copaifera officinalis (balsam copaiba) resin, Passiflora edulis seed oil	3.00	BERACA
	COSMETIC GRADE ANNATTO OIL	Bixa orellana seed oil, Helianthus annuus (sunflower) seed oil, Glycine soja (soybean) oil, Tocopherol	1.00	BERACA
	TOCOPHEROL	Tocopherol	1.50	-
В	EMULSOGEN DTC ACID	Trideceth-7 Carboxylic Acid	30.00	-
	FRAGRANCE	Fragrance	0.50	-
	Manufacturing Procedure 1. Mix ingredients of phase (A) and heat to 75°C – 80°C. 2. Start to cool down under medium stirring. Add phase (B) below 40°C.			



Formulation	ANNATTO BRONZER
Reference Number	MAQ 016-1020_01

PHASE	INGREDIENTS	INCI NAME	%	SUPPLIER
	REFINED BRAZIL NUT OIL	Bertholletia excelsa seed oil	Up to 100%	BERACA
	CANDELILLA WAX	Candelilla (Euphorbia Cerifera) wax	12.00	-
	CARNAUBA WAX	Copernicia Cerifera (Carnauba) Wax	7.00	-
	REFINED PASSION FRUIT OIL	Passiflora edulis seed oil	3.00	BERACA
٨	REFINED BACURI BUTTER	Platonia insignis seed butter	8.00	BERACA
A	REFINED MURUMURU BUTTER	Astrocaryum murumuru seed butter	7.00	BERACA
	COSMETIC GRADE ANNATTO OIL	Bixa orellana seed oil, Helianthus annuus (sunflower) seed oil, Glycine soja (soybean) oil, Tocopherol	5.00	BERACA
	REFINED TUCUMÃ BUTTER	Astrocaryum vulgare kernel oil	2.00	BERACA
	TOCOPHEROL	Tocopherol	1.00	-
	D-PANTHENOL	Panthenol	1.00	-
В	MICRONIZED AMAZONIAN WHITE CLAY	Kaolin	9.60	BERACA
	MICRONIZED DARK RED CLAY	Kaolin	0.54	BERACA
	MICRONIZED BLACK CLAY	Kaolin	2.56	BERACA
	MICRONIZED GOLD CLAY	Kaolin	7.30	BERACA
	MICA	Mica	1.30	-
С	NIPAGUARD SCE	Sorbitan Caprylate, Propanediol, Benzoic Acid	1.00	-

BERACA SUGGESTED FORMULATION

Manufacturing Procedure

- 1.Mix the components of phase (A) and heat to 85°C.
- 2. Turn off the heat and add phase (B).
- 3. Around 50-60°C add phase (C).
- 2. Fill the bronzer mold while the buck is still in the liquid form.